

原著論文

1. Alternation of Absorption Maxima in Helical Superstructures of Chiral, Single-chain Ammonium Amphiphiles
N. Yamada and M. Kawasaki, *J. Chem. Soc., Chem. Commun.* **1990**, 568.
2. Effects of Substrate Structure on Lipase-Catalyzed Transesterification of ω -Substituted 1-Alkanols in Organic Solvents
K. Nakamura, M. Kawasaki, and A. Ohno, *Bull. Chem. Soc. Jpn.* **1994**, 67, 3053.
3. Lipase-Catalyzed Transesterification of Aryl-Substituted Alkanols in an Organic Solvent
K. Nakamura, M. Kawasaki, and A. Ohno, *Bull. Chem. Soc. Jpn.* **1996**, 69, 1079.
4. Periodic change in absorption maxima due to different chain packing between the bilayers of amphiphiles possessing even and odd numbers of carbons in the hydrophobic chain
N. Yamada, K. Okuyama, T. Serizawa, M. Kawasaki, and S. Oshima, *J. Chem. Soc., Perkin Trans. 2* **1996**, 2707.
5. Lipase-catalyzed enantioselective deacetylation of *ortho*-substituted phenyl acetates with 1-butanol in organic solvents
M. Kawasaki, K. Nakamura, and S. Kawabata, *J. Mol. Catal. B: Enzym.* **1999**, 6, 447.
6. Lipase-Catalyzed Transesterification of 2-Phenyl-1-propanol with Vinyl Esters Having Aromatic Ring in Acyl Moiety
M. Kawasaki, M. Goto, S. Kawabata, T. Kodama, and T. Kometani, *Tetrahedron Lett.* **1999**, 40, 5223.
7. Synthesis of (+)-(*R*)-1-Amino-2,2-difluorocyclopropane-1-carboxylic Acid through Lipase-Catalyzed Asymmetric Acetylation
M. Kiriara, T. Takuwa, M. Kawasaki, H. Kakuda, S. Hirokami, and H. Takahata, *Chem. Lett.* **1999**, 405.
8. Enzymatic resolution of 2-phenyl-1-propanol by enantioselective hydrolysis of its ester having a bulky group in an acyl moiety
M. Goto, M. Kawasaki, and T. Kometani, *J. Mol. Catal. B: Enzym.* **2000**, 9, 245.
9. Binding site of acyl moiety in ester hydrolysis by *Candida rugosa* lipase
M. Goto, M. Kawasaki, T. Kometani, T. Nonaka, and Y. Mitsui, *J. Mol. Catal. B: Enzym.* **2001**, 11, 1029.
10. The effect of vinyl esters on the enantioselectivity of the lipase-catalysed transesterification of alcohols
M. Kawasaki, M. Goto, S. Kawabata, and T. Kometani, *Tetrahedron: Asymmetry* **2001**,

12, 585.

11. Synthesis of optically active 2,2-difluorohomoallyl alcohols by lipase-catalyzed transesterification

M. Kirihara, M. Kawasaki, H. Katsumata, H. Kakuda, M. Shiro, and S. Kawabata, *Tetrahedron: Asymmetry* **2002**, *13*, 2283.

12. Asymmetric synthesis of 2-substituted chroman-4-ones using lipase-catalyzed kinetic resolutions

M. Kawasaki, H. Kakuda, M. Goto, S. Kawabata, and T. Kometani, *Tetrahedron: Asymmetry* **2003**, *14*, 1529.

13. Efficient synthesis of (*R*)- and (*S*)-1-amino-2,2-difluorocyclopropanecarboxylic acid via lipase-catalyzed desymmetrization of prochiral precursors

M. Kirihara, M. Kawasaki, T. Takuwa, H. Kakuda, T. Wakikawa, Y. Takeuchi, and K. L. Kirk, *Tetrahedron: Asymmetry* **2003**, *14*, 1753.

14. 2-Propanol treatment of *Candida rugosa* lipase and its hydrolytic activity

M. Goto, H. Ogawa, T. Isobe, M. Kawasaki, and T. Kometani, *J. Mol. Catal. B: Enzym.* **2003**, *24-25*, 67.

15. Enantioselective synthesis of poison-frog alkaloid 237D and determination of absolute stereochemistry

N. Toyooka, M. Kawasaki, H. Nemoto, J. W. Daly, T. F. Spande, and H. M. Garraffo, *Heterocycles* **2005**, *65*, 5.

16. Enantioselective syntheses of two 5, 9*E* diastereomers of 223V, an alkaloid from the poison frog *Dendrobates pumilio*

N. Toyooka, H. Nemoto, M. Kawasaki, H. M. Garraffo, T. F. Spande, and J. W. Daly, *Tetrahedron* **2005**, *61*, 1187.

17. Asymmetric synthesis of homoisoflavanone using lipase-catalyzed reaction

M. Kawasaki, N. Toyooka, Y. Matsui, A. Tanaka, M. Goto, H. Kakuda, S. Kawabata, and T. Kometani, *Heterocycles* **2005**, *65*, 761.

18. Synthesis of Poison-Frog Alkaloids 237D, 207A, and Two Congeners of 235B' for Evaluation to Inhibitory Effect of Nicotinic Acetylcholine Receptors

N. Toyooka, M. Kawasaki, and H. Nemoto, *Chem. Pharm. Bull.* **2005**, *53*, 555.

19. Synthetic Studies on the Poison-Frog Alkaloid 261C

N. Toyooka, M. Kawasaki, H. Nemoto, S. Awale, Y. Tezuka, and S. Kadota, *Synlett* **2005**, 3109.

20. Asymmetric synthesis of 5,6-dehydrosenedigitalene using lipase-catalyzed highly enantioselective transesterification of a primary alcohol with vinyl 3-(4-trifluoromethylphenyl)propanoate

- M. Kawasaki, Y. Hayashi, H. Kakuda, N. Toyooka, A. Tanaka, M. Goto, S. Kawabata, and T. Kometani, *Tetrahedron: Asymmetry* **2005**, *16*, 4065.
21. Asymmetric synthesis of flindersiachromanone using lipase-catalyzed reaction
M. Kawasaki, H. Yoshikai, H. Kakuda, N. Toyooka, A. Tanaka, M. Goto, and T. Kometani, *Heterocycles* **2006**, *68*, 483.
22. Asymmetric synthesis of 2-substituted 4-chromanones using enzyme-catalyzed reactions
M. Kawasaki, Y. Asano, K. Katayama, A. Inoue, C. Hiraoka, H. Kakuda, A. Tanaka, M. Goto, N. Toyooka, and T. Kometani, *J. Mol. Catal. B: Enzym.* **2008**, *54*, 93.
23. Determination of novel nitrogen-containing metabolites after oral administration of swertiamarin to rats
Z. Wang, S. Tang, C. Ma, N. Toyooka, H. Kida, M. Kawasaki, and M. Hattori, *J. Trad. Med.* **2008**, *25*, 29.
24. Anti-inflammatory Activity of *N*-Naphthoyl D-Alanine *in vivo*
M. Goto, H. Kataoka, Y. Araya, M. Kawasaki, K. Oyama, M. Semma, Y. Ito, and A. Ichikawa, *Bull. Korean. Chem. Soc.* **2009**, *30*, 781.
25. Regioselective Acetylation of 2-Aryl-2-butene-1,4-diols and hydrolysis of Their Diacetates Using Porcine Pancreas Lipase
N. Koyata, T. Nagai, M. Kawasaki, T. Noguchi, M. Kirihara, and N. Imai, *Chem. Lett.* **2009**, *38*, 892.
26. Lipase-mediated preparation of optically active isomers of Rosaphen[®]
M. Kawasaki, N. Toyooka, T. Saka, M. Goto, Y. Matsuya, and T. Kometani, *J. Mol. Catal. B: Enzym.* **2010**, *67*, 135.
27. Synthesis and antitumor evaluation of arctigenin derivatives based on antiausterity strategy
N. Kudou, A. Taniguchi, K. Sugimoto, Y. Matsuya, M. Kawasaki, N. Toyooka, C. Miyoshi, S. Awale, D. F. Dibwe, H. Esumi, S. Kadota, and Y. Tezuka, *Eur. J. Med. Chem.* **2013**, *60*, 76.
28. Lipase-catalyzed preparation of optically active isomers of cyclamen aldehyde
M. Kawasaki, M. Goto, D. Hu, N. Toyooka, and T. Kometani, *J. Mol. Catal. B: Enzym.* **2013**, *96*, 27.
29. Asymmetric Syntheses of Pharmaceuticals Containing A Cyclopropane Moiety Using Catalytic Asymmetric Simmons-Smith Reactions of Allyl alcohols: Syntheses of Optically Active Tranlycypromine and Milnacipran
Y. Ishizuka, H. Fujimoro, T. Noguchi, M. Kawasaki, M. Kishida, T. Nagai, N. Imai, and M. Kirihara, *Chem. Lett.* **2013**, *42*, 1311.

30. Preparation of the Monoacylates of 2-Substituted (Z)-but-2-ene-1,4-diols Using Porcine Pancreas Lipase

Y. Kawashima, T. Ezawa, T. Harada, T. Noguchi, M. Kawasaki, M. Kirihara, and N. Imai, *Bull. Chem. Soc. Jpn.* **2016**, 89, 257.

31. Syntheses and odour properties of optically active dimethyl octenone and its analogues

M. Kawasaki, M. Shimizu, S. Kuroyanagi, Y. Shishido, T. Komiyama, and N. Toyooka, *Tetrahedron: Asymmetry* **2016**, 27, 285.

32. Synthesis and odor properties of Phantolide analogues

M. Kawasaki, S. Kuroyanagi, T. Ito, H. Morita, Y. Tanaka, and N. Toyooka, *Tetrahedron* **2017**, 73, 2089.

総説、解説

1. Acylase 活性を有するテトラペプチド：構成アミノ酸の立体配置変化による立体特異性の反転

川崎正志, 化学と工業, **1999**, 52, 893.

2. Synthesis of Poison-Frog Alkaloids and Their Pharmacological Effects at Neuronal Nicotinic Acetylcholine Receptors

N. Toyooka, H. Tsuneki, S. Kobayashi, Z. Dejun, M. Kawasaki, I. Kimura, T. Sasaoka, and H. Nemoto, *Current Chemical Biology* **2007**, 1, 97.

3. 加水分解酵素を利用した 2-置換-4-クロマノン類の不斉合成

川崎正志, 米谷 正, ファインケミカル, **2008**, 37, 49.

4. 香気物質の両鏡像異性体の合成と香気評価

川崎正志, 香料, **2017**, 276, 43.

著書

1. 川崎正志, 中村 薫, 酵素利用技術体系, 小宮山眞監修, エヌ・ティー・エス, 2010 年

第 5 編第 1 章第 5 節 5. リパーゼを使った有用物質合成 (分担執筆)

2. M. Kawasaki, in *Future Directions in Biocatalysis*, 2nd ed., ed by T. Matsuda, Elsevier, **2017**, Chap. 15 Synthesis of the Enantiomers of Odorous Compounds Using Lipase.

紀要

Lipase Catalyzed Si-O Bond Scission in Trialkylsilyl Ethers

M. Goto, M. Kawasaki, and T. Kometani

富山工業高等専門学校紀要, **2009**, 43, 1.